

# Automatic monorail

## 6400

**Maximum detail size** W300 H2500 D2000mm

**Conveyor speed** 1m/min

**Hall dimensions** 21,000x14,000mm

**Conveyor length:** 126mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



Own contribution 20% Redemption 15% Leasing period

ROMER - Producent wysokiej jakości lakierni proszkowych

5 years.

Automatic configuration no. 1 - Monthly installment **PLN 11,696.39 net**

## 6485

**Maximum detail size** W500 H2500 D1500mm

**Conveyor speed** 0.8m/min

**Hall dimensions** 27,000x12,000mm

**Conveyor length:** 105mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 6665

**Maximum detail size** W1000 H2500 D2500mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 30,000x21,000mm

**Conveyor length:** 175mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

ROMER - Producent wysokiej jakości lakierni proszkowych

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 10683 - painting rims

**pass-through cabin Maximum detail size** W570 H400 D570mm

**Conveyor speed** 0.8m/min



**Cab rotation**

**Hall dimensions** 9.800x12.000mm

**Manual painting:** KPP-2

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1



## 6496

**Maximum detail size** W500 H1800 D3000mm

**Conveyor speed** 1.0m/min

**Hall dimensions** 16,000x43,000mm

**Highest point** 4.620mm

**Conveyor length:** 152mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02 (with automatic tank cleaning, paint scale and ultrasonic sieve)




**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



## 7178

**Maximum detail size** W300 H2500 D2000mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 53,000x14,000mm

**Conveyor length:** 170mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 3999

**Maximum detail size** W300 H1650 D1100mm

**Conveyor speed** 1m/min

**Hall dimensions** 18.000x15.500mm

**Conveyor length:** 130mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs


**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

ROMER - Producent wysokiej jakości lakierni proszkowych

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 3250

**Maximum detail size** W500 H2500 D2000mm

**Conveyor speed** 1m/min

**Hall dimensions** 50000x9000mm

**Conveyor length:** 75.9mb + 51mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1250 cyclone dust collector equipped with a RP-01 dense phase pump

ROMER - Producent wysokiej jakości lakierni proszkowych

**Dust Collector:** Final filter OZ-8H



## 4073

**Maximum detail size** W300 H2300 D1500mm

**Conveyor speed** 1m/min

**Hall dimensions** 50000x9000mm

**Conveyor length:** 90mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



**Vertical axis Z:** MA1-18 manipulator - 2pcs


**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2500 W1300

**Paint return:** CK-D1250 cyclone dust collector equipped with a RP-01 dense phase pump

**Dust Collector:** Final filter OZ-8H





## 4115

**Maximum detail size** W300 H2300 D1600mm

**Conveyor speed** 1m/min

**Hall dimensions** 64775x12450mm

**Conveyor length:** 120mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



**Vertical axis Z:** MA1-18 manipulator - 2pcs


**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2500 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H





## 4522-3

**Maximum detail size** W300 H1500 D2500mm

**Conveyor speed** 1m/min

**Hall dimensions** 30000x17000mm

**Conveyor length:** 138mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs



**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H





## 4665

**Maximum detail size** W300 H2500 D2430mm

**Conveyor speed** 1m/min

**Hall dimensions** 60000x25000mm

**Conveyor length:** 120mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs




**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2500 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H





## 4522-1

**Maximum detail size** W300 H1500 D2500mm

**Conveyor speed** 1m/min

**Hall dimensions** 47000x10000mm

**Conveyor length:** 123mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)




**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 4522-2

**Maximum detail size** W300 H1500 D2500mm

**Conveyor speed** 1m/min

**Hall dimensions** 30000x17000mm

**Conveyor length:** 138mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

ROMER - Producent wysokiej jakości lakierni proszkowych

**Dust Collector: Final filter OZ-12H**

